



PATIO



Owner's Manual

TABLE OF CONTENTS

About pureHeat PATIO 3

Features 3

Specifications 3

Product Contents 4

Unit Diagram 4

Warnings 5

Unit Setup 6 - 7

Control Panel/Remote Diagrams 8

Using pureHeat PATIO 9

Maintenance/Cleaning/Storage 10

Warranty..... 11

RECORDS

Please record the name and phone number of your Dealer.

Name: _____

Phone #: _____

Please record the serial number of your pureHeat PATIO.

Serial #: _____

ABOUT PUREHEAT PATIO

Thank you for your purchase of the pureHeat PATIO. This heater provides consistent warmth to outdoor spaces using carbon infrared heating technology, warming your friends and family are directly instead of just heating the surrounding air.

pureHeat PATIO can be mounted using easy-to-install fixed bracket, or it can be placed on an adjustable aluminum stand for mobility. Either way, the silent and odorless heating element is a safe distance from children and pets.

For optimum comfort, three different levels of heat can be produced with almost no warm-up time. A 24-hour timer allows for specific shut-off time selection, and all features can be adjusted using the included remote control. pureHeat PATIO is durable, lightweight, maintenance-free, and can connect to your standard household electrical source.

FEATURES

- High Efficiency Carbon Fiber Heating Element
- 3 Power Modes
- Shut-Off Timer
- 360° Tip-Over Safety
- Stand and Wall Mounting Options


SPECIFICATIONS

Model Number:	pureHeat-PATIO
Power Input:	120 VAC/60Hz 15A
Power Usage:	500W/1000W/1500W
Heat Output:	5100 BTU
Unit Dimensions:	7.5" H x 30.0" W x 3.5" D
Unit Weight:	4.5 lbs
Stand Dimensions	45.5" - 71" H x 34.0" W x 34.0" D
Stand Weight:	6.0 lbs
Protection Rating:	IP24
Warranty:	3 Years

PRODUCT CONTENTS

- 1 - Owner's Manual
- 1 - pureHeat PATIO Heater
- 1 - Remote Control
- 1 - pureHeat PATIO Telescoping Stand
- 1 - pureHeat PATIO Grill Guard
- 1 - 2 Part Mounting Bracket
- 3 - Plastic Wall Anchors
- 2 - M6*14 Screws
- 4 - M5*12 Screws
- 2 - M6*38 Screws
- 3 - ST4*35 Screws
- 2 - Butterfly Nuts

UNIT DIAGRAM



WARNINGS

For your safety and the safety of the product, please read through the warnings below before beginning installation, use, or maintenance.



- Disconnect power before servicing.
- Connect to properly grounded outlets only. Do not use if plug does not fit securely.
- Do not cover the unit with any type of fabric.



- Do not operate the unit outdoors in inclement weather.
- Ensure any extension cable used has at least a 15A Current Rating.
- pureHeat PATIO will get hot when active. Avoid handling any part, besides the stand, when the unit is on.
- Do not insert any foreign objects into the Main Body Grill.
- Do not run the Power Cord under carpeting, rugs, or any other covering.
- Do not operate pureHeat PATIO near any open sources of water.
- Keep combustible materials such as papers, furniture, and curtains at least 3 Feet away from pureHeat PATIO.
- Do not immerse in water to clean.
- Young children should be supervised when they are near the heater.



- pureHeat PATIO has an audible warning that will turn on when any part of the unit begins to overheat. When this occurs, turn the unit off, unplug it from the outlet, and allow it to cooldown before using it again.

UNIT SETUP



INSPECT THE UNIT FOR DAMAGE BEFORE SETUP OR USE.

Floor Stand Setup

1. Assemble the Floor Stand by attaching the Legs to the Base and then inserting the Telescoping Pole.




2. Use Two (2) M6*14 Screws to combine Bracket 1 and Bracket 2.



3. Use Two (2) M5*12 Screws to install the Mounting Bracket to the rear of the Heater Body.




4. Use Two (2) M6*38 Screws to install front of the Mounting Bracket to the rear of the Stand.



5. Use Two (2) M5*12 Screws to fix the Grill Guard to the rear of the Heater Body.

This step is optional but recommended.



6. Loosen the Telescoping Lock and slide the pole and unit up or down to your desired height, then re-tighten the Telescoping Lock.




UNIT SETUP CONTINUED

Wall/Ceiling Mount Setup

1. Use Two (2) M6*14 Screws to combine Bracket 1 and Bracket 2.




2. Use Two (2) M5*12 Screws to install the Mounting Bracket to the rear of the Heater Body.



3. Ensure the desired mounting location is near an outlet but free from electrical cables, communication lines, and pipes that could be damaged by excessive heat.

4. If needed, pre-drill your wall and insert the 3 Wall Anchors.

5. Use the 3 ST4*35 Screws and fasten the Mounting Bracket and Heater to the Wall with a Horizontal Orientation.




Heater must be Mounted Horizontally or the Tip Over Safety Switch may Engage and the Unit will Turn Off.




FOR YOUR SAFETY, READ ALL WARNINGS & CAUTIONS (PAGE 5) AND USAGE (PAGE 9) BEFORE USING YOUR PUREHEAT PATIO.

CONTROL PANEL/REMOTE DIAGRAMS

Control Panel



Remote



USING PUREHEAT PATIO



READ ALL WARNINGS & CAUTIONS (PAGE 5) BEFORE USING YOUR PUREHEAT PATIO.

Power

pureHeat PATIO starts in Standby Mode when first turned on. The unit will have power but is not actively heating.



To turn the unit on, switch the Power Button to " - ".

Modes

Changing the Power Mode increases the Heat Output.

P1 is the Lowest Heat Output Mode and P3 is the Maximum Heat Output Mode.

P1 Press the Mode Button once to change to Power Mode 1.

P2 Press the Mode Button again to change to Power Mode 2.

P3 Press the Mode Button a third time to change to Power Mode 3.

Pressing the Mode Button once more puts the unit in Standby Mode again.

Timer

While the unit is active, a timer can be set to turn the unit OFF after a desired amount of hours.

Press the Timer Button to change the amount of hours before the unit will shut off. The time will increase in 1 Hour Increments, up to 24 Hours.

MAINTENANCE

Your pureHeat PATIO should be maintenance free for many years, but sometimes the unexpected happens. If you have any trouble with your unit, contact GreenTech Environmental by phone or visit www.GreenTechEnv.com/Support.

CLEANING



DISCONNECT YOUR PUREHEAT PATIO FROM THE OUTLET BEFORE CLEANING.

To extend the life of your pureHeat PATIO, perform regular cleanings with a damp cloth.

STORAGE

To prevent accidents, or save some space, store your pureHeat PATIO in a cool, dry place. Perform a cleaning, as described above, then wipe all parts dry before packing it away.

LIMITED WARRANTY INFORMATION

Your pureHeat PATIO (Product) is warranted to be free from all defects in material and workmanship in normal household use for a period of **3 Years** from date of purchase. The warranty is granted only to the original purchaser. The warranty is subject to the following provisions:

Any damages or malfunctions caused by negligence, abuse, or use not in accordance with the Product Owner's Manual are not covered by this warranty. Likewise, any defects or damages caused by unauthorized service or the use of other than Genuine pureHeat Parts are not covered.

All shipping charges are the responsibility of the purchaser. GreenTech Environmental will, at its option, repair or replace a defective Product or part(s) for the Product that is/are covered by this warranty. As a matter of warranty policy, GreenTech Environmental will not refund the customer's purchase price.

OBTAINING WARRANTY SERVICE

To obtain warranty service you must return the defective product along with proof of purchase to the pureHeat Authorized Service Center. All shipping costs submitted under this Warranty shall be borne by purchaser. Unless this Warranty is expressly renewed or extended by pureHeat, any repaired or replaced part of unit shall be warranted to the original purchaser only for the length of the unexpired portion of the original warranty. For the location of the nearest pureHeat Authorized Service Center or for other service information, please visit us online or contact Customer Service at:

www.GreenTechEnv.com/Support

Before any product is sent for service, the customer should contact the pureHeat Service Center to obtain a Return Merchandise Authorization (RMA) Number. This RMA Number should be clearly written on the box before shipping. All components/parts including the remote (if applicable), manuals, and original packaging should be included in the return if available.

FURTHER LIMITATIONS AND EXCLUSIONS ARE AS FOLLOWS

Any warranty that may be implied in connection with your purchase or use of the Product, including any warranty of merchantability or any warranty for Fitness For A Particular Purpose is limited to the duration of this warranty. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

Your relief for the breach of this warranty is limited to the relief expressly provided above. In no event shall pureHeat be liable for any consequential or incidental damages you may incur in connection with your purchase or use of the Product. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

REGISTRATION

Please register your Product within 10 days of purchase by visiting www.GreenTechEnv.com/Warranty. Registering your new pureHeat product entitles you to the most up-to-date pureHeat warranty and promotion information.



www.GreenTechEnv.com